

## Shanghai TOMA Building Material Co.,Ltd

Factory address 1: No.3 Building,239 Jiuyuan Road,Qingpu District,Shanghai,China


Factory address 2: Miluo Industrial Zone,Yueyang city,Hunan province,China

Mobile/wechat:18108431095 Whatsapp:008613774419346


Website: www.tuoman.com info@tuoman.com shanghaiuoman@gmail.com

## PVC fast roller door or folding door


### Different open way



manual push button remote control



Radar,Double-face geomagnetism,card or code



manual



industrial roller door




PVC folding door




# Traction door operation and control methods in particular


## Provide a perfect technical solution




Button width visible, applicable to the personal service door. Provide a convenient solution for vehicle improper steps




If necessary, the firar switch can be installed with a sturdy cutting switch on a rotating arm. This is an inexpensive solution for both pedestrian and rare vehicle traffic




The radar visual sensor has an automatic detection function to move the front door in the active space. Possibility of adjusting the required sensitivity table according to different activity frequencies. Sensors respond to the movement of people and vehicle




Optical sensor photocell with modulated infrared receiver and transmitter. For om distances, reflective photocells with rearview mirrors can be used. The problem with the control using foloceleuk is whether the senson is in the right positic given the handling lead and proximity to the door.



It is possible to remotely operate the distance to the door with the help of a radio signal coded control transmitter. With a single command with multiple button you can even open multiple doors with different code. Very suitable for low frequency vehicle operation




Password lock can only be opened with the password card can only be carried by authorized personnel



The coil induction loop consists of several coils of wire in place to extend the activation at the ground door. Activate the door as the vehicle passes through the loop. Safe and comfortable automatic control solution. The induction loop does not respond to human passage. If necessary, you can control the movement of people

Traffic lights another fast door safety device installed in areas with high or low vision. Traffic lights can be installed where there is no door screen or security window.



## Safe operation of fast elastic door



桔红色 Orange    红色 Red    蓝色 Blue    深蓝色 Dark blue    桔黄网络 Orange    黄色 Yellow    灰色 Gray    白色网络 White

Different fabric colors fabrics are optional